

LETTERS TO THE JOURNAL

Accurate Ultrasonic Biometry
in PseudophakiaJack T. Holladay, M.D.,
and Thomas C. Prager, Ph.D.Department of Ophthalmology, Hermann Eye Center,
University of Texas Medical School at Houston.*Inquiries to Jack T. Holladay, M.D., Hermann Eye Center,
6411 Fannin, Houston, TX 77030.*

In 1989, we explained an accurate method for measuring the axial length in a pseudophakic eye with a polymethylmethacrylate intraocular lens.¹ Since then other intraocular lens materials, such as silicone, have been used with ultrasonic conduction velocities that are remarkably different from polymethylmethacrylate. We produced a general formula that can determine the exact axial length in any pseudophakic eye, if the ultrasonic conduction velocity and thickness of the intraocular lens are known.

From our previous work¹ the expression for the actual axial length (AL) can be expressed as

$$AL = \frac{1,532}{1,550} ALM50 + T \left(1 - \frac{1,532}{2,718} \right)$$

where 1,532 = ultrasonic velocity in meters per second of the aphakic eye,² 1,550 = average tissue velocity used in most ultrasonic biometers for the cataractous eye,³ T = center thickness of the intraocular lens, and 2,718 =

conduction velocity through polymethylmethacrylate at eye temperature (35 C).¹ Computing the value of the final term yields equation 2:

$$AL = \frac{1,532}{1,550} ALM50 + T (0.44).$$

Equation 2 states that the actual axial length in a pseudophakic eye with polymethylmethacrylate can be figured by multiplying the apparent axial length measured at 1,550 m/sec (ALM50) by the fraction 1,532/1,550, which converts to the aphakic tissue velocity, then by adding 44% of the center thickness of the polymethylmethacrylate intraocular lens. If the ultrasonic unit can be set to a tissue velocity of 1,532 m/sec, then the fraction becomes 1 (1,532/1,532), and actual axial length is figured by adding 44% of the polymethylmethacrylate lens center thickness to the measured axial length by using the aphakic tissue velocity. Because the average polymethylmethacrylate lens is approximately 1.00 mm thick, one adds 0.44 mm to the apparent axial length measured at 1,532 m/sec.

Generalizing equation 2 for an intraocular lens of any material would yield

$$AL = \frac{1,532}{1,550} ALM50 + T \left(1 - \frac{1,532}{IOL} \right)$$

where the intraocular lens is the conduction

THE JOURNAL welcomes letters that describe unusual clinical or pathologic findings, experimental results, and new instruments or techniques. The title and the names of all authors appear in the Table of Contents and are retrievable through the Index Medicus and other standard indexing services. Letters must not duplicate data previously published or submitted for publication. Each letter must be accompanied by a signed disclosure statement and copyright transfer agreement published in each issue of THE JOURNAL.

Letters must be typewritten, double-spaced, on 8 1/2 x 11-inch bond paper with 1 1/2-inch margins on all four sides. (See Instructions to Authors.) An original and two copies of the typescript and figures must be sent. The letters should not exceed 500 words of text. A maximum of two black-and-white figures may be used; they should be cropped or reducible to a width of 3 inches (one column). Color figures cannot be used. References should be limited to five.

Letters may be referred to outside editorial referees for evaluation or may be reviewed by members of the Editorial Board. All letters are published promptly after acceptance. Authors do not receive galley proofs but if the editorial changes are extensive, the corrected typescript is submitted to them for approval.

These instructions markedly limit the opportunity for an extended discussion or review. Therefore, THE JOURNAL does not publish correspondence concerning previously published letters.

velocity of the lens material at eye temperature. For silicone, the ultrasonic velocity is 980 m/sec.⁴ Substituting in equation 3, by using silicone velocity, we have

$$AL = \frac{1,532}{1,550} ALM50 + T \left(1 - \frac{1,532}{980} \right).$$

Computing the numeric value of the final term yields

$$AL = \frac{1,532}{1,550} ALM50 - T (0.56).$$

Because the ultrasonic velocity of silicone is slower than the aphakic eye, we must subtract 56% of the silicone lens thickness from the apparent measured axial length at 1,532 m/sec. Because silicone has a lower index of refraction than polymethylmethacrylate, the curvatures of the silicone lens are steeper for the same power and result in thicker lenses. The nominal thickness of a silicone lens is approximately 1.50 mm, and 56% is 0.84 mm. To determine the actual axial length of an eye with a silicone intraocular lens, one measures the apparent axial length at the aphakic velocity (1,532 m/sec), then subtracts 0.84 mm from the apparent axial length. Empiric data verify these results.⁵

Equation 3 can be used to determine the actual axial length in an eye with any new intraocular lens material if the ultrasonic velocity and the nominal central lens thickness are known.

References

1. Holladay, J. T., and Prager, T. C.: Accurate ultrasonic biometry in pseudophakia (correspondence). *Am. J. Ophthalmol.* 107:189, 1989.
 2. Jansson, F., and Kock, E.: Determination of the velocity of ultrasound in the human lens and vitreous. *Acta Ophthalmol.* 40:420, 1962.
 3. Binkhorst, R. D.: The accuracy of ultrasonic measurement of the axial length of the eye. *Ophthalmic Surg.* 12:363, 1981.
 4. *Encyclopedia of Polymer Science and Engineering*, vol. 15. New York, Wiley and Sons, 1989, p. 259.
 5. Milauskas, A. T., and Marney, S.: Pseudo axial length increase after silicone lens implantation as determined by ultrasonic scans. *J. Cataract Refract. Surg.* 14:400, 1988.
-